

National Institute of Design Assam
Tocklai, Rajabari, Jorhat-785014
Assam

NIDJ/2022-23/S&P/ 0408

Dated : 28.07.2022

Corrigendum No. 01

In partial modification to Request for Quotation (RFQ) No: NIDJ/2022-23/S&P/0338 dated 08.07.2022, the following specifications in the LIST OF ELECTRICAL ITEMS at ANNEXURE A shall stay amended –

| Sl. No. | Item Sl. No. | Description | Existing Condition | Updated Condition |
|---------|--------------|-------------------------------------|--|---|
| 1. | 6 | External fitting for casing capping | Flame Retardant (FR) PVC material, Ivory Colour, Unplasticized formulation for prolong storage or usage, double lock, ISI Marked as per IS 14927, Highly durability, Resistance to oil and grease. | Flame Retardant (FR) PVC material, Ivory Colour, Unplasticized formulation for prolong storage or usage, double lock, ISI Marked as per IS 14927, Highly durability, Resistance to oil and grease. Size – 1 inch |
| 2. | 7 | Internal Fitting For Casing Capping | Flame Retardant (FR) PVC material, Ivory Colour, Unplasticized formulation for prolong storage or usage, double lock, ISI Marked as per IS 14927, Highly durability, Resistance to oil and grease. | Flame Retardant (FR) PVC material, Ivory Colour, Unplasticized formulation for prolong storage or usage, double lock, ISI Marked as per IS 14927, Highly durability, Resistance to oil and grease. Size – 1 inch |
| 3. | 8 | L bend joint | Flame Retardant (FR) PVC material, Ivory Colour, Unplasticized formulation for prolong storage or usage, double lock, ISI Marked as per IS 14927, Highly durability, Resistance to oil and grease. | Flame Retardant (FR) PVC material, Ivory Colour, Unplasticized formulation for prolong storage or usage, double lock, ISI Marked as per IS 14927, Highly durability, Resistance to oil and grease. Size – 1 inch |
| 4. | 9 | T Joint/joint coupler | Flame Retardant (FR) PVC material, Ivory Colour, Unplasticized formulation for prolong storage or usage, double lock, ISI Marked as per IS 14927, Highly | Flame Retardant (FR) PVC material, Ivory Colour, Unplasticized formulation for prolong storage or usage, double lock, ISI Marked as per IS 14927, |

| | | | durability, Resistance to oil and grease. | Highly durability, Resistance to oil and grease. Size – 1 inch |
|-----|-----|--------------------------------------|---|---|
| 5. | 15 | PVC Junction Box 3 way | - | Size – 19 mm |
| 6. | 156 | 3 pin 6 A Power Socket/Plug | 3 pin 6 A Power Socket/Plug | 3 pin 6 A Power Socket |
| 7. | 157 | 5 pin 6 A power socket/Plug | 5 pin 6 A power socket/Plug | 5 pin 6 A power socket |
| 8. | 174 | Star Delta Starter 10 HP-50 HP | Star Delta Starter 10 HP-50 HP | Star Delta Starter 10 HP |
| 9. | 243 | GI Earthing Strip 32x6 | No's | Kg |
| 10. | 244 | GI Earthing Strip 40x6 | No's | Kg |
| 11. | 245 | GI Earthing Strip 50x6 | No's | Kg |
| 12. | 246 | GI Earthing Strip 65x10 | No's | Kg |
| 13. | 255 | 11 KV Gapless Lightening arrester | - | No's |
| 14. | 267 | Exhaust fan 6 " | - | No's ; Reputed Brand |
| 15. | 274 | Drill Bit M6x40 | Drill Bit M6x40 | Flat Tip Drill Bit M6x50x110 Hammering |
| 16. | 275 | Drill Bit M6x70 | Drill Bit M6x70 | Flat Tip Drill Bit M6x100x160 Hammering |
| 17. | 276 | Drill Bit M8x60 | Drill Bit M8x60 | Flat Tip Drill Bit 8x50x110 Hammering |
| 18. | 277 | Drill Bit M8x70 | Drill Bit M8x70 | Flat Tip Drill Bit 8x100x160 Hammering |
| 19. | 278 | Drill Bit M8x80 | Drill Bit M8x80 | Cross Tip Drill Bit 8x50x110 Hammering |
| 20. | 279 | Drill Bit M8x90 | Drill Bit M8x90 | Cross Tip Drill Bit 8x100x160 Hammering |
| 21. | 280 | Drill Bit M8x100 | Drill Bit M8x100 | Cross Tip Drill Bit 8x150x210 Hammering |
| 22. | 281 | Drill Bit M10x80 | Drill Bit M10x80 | Flat Tip Drill Bit 10x100x160 |

| | | | | |
|-----|-----|-------------------|-------------------|---|
| 23. | 282 | Drill Bit M10x100 | Drill Bit M10x100 | Flat Tip Drill Bit 10x150x210 |
| 24. | 283 | Drill Bit M10x100 | Drill Bit M10x100 | Flat Tip Drill Bit 10x200x260 |
| 25. | 284 | Drill Bit M12x120 | Drill Bit M12x120 | Flat Tip Drill Bit 12x100x160 |
| 26. | 285 | Drill Bit M12x140 | Drill Bit M12x140 | Flat Tip Drill Bit 12x150x210 |
| 27. | 286 | Drill Bit M16x100 | Drill Bit M16x100 | Flat Tip Drill Bit 16x100x160 |
| 28. | 287 | Drill Bit M16x140 | Drill Bit M16x140 | Flat Tip Drill Bit 16x150x210 |
| 29. | 288 | Drill Bit M16x150 | Drill Bit M16x150 | Flat Tip Drill Bit 16x200x260 |
| 30. | 289 | Drill Bit M20x120 | Drill Bit M20x120 | Cross Tip Drill Bit 20x200x260 |
| 31. | 290 | Drill Bit M20x130 | Drill Bit M20x130 | Cross Tip Drill Bit 20x200x260 |
| 32. | 291 | Drill Bit M24x160 | Drill Bit M24x160 | Flat Tip Drill Bit 24x250x310 |
| 33. | 292 | Drill Bit M24x300 | Drill Bit M24x300 | Cross Tip Drill Bit 24x250x310 |
| 34. | - | - | - | Any items not mentioned in the list of items above, that may be required to be supplied by the empanelled agencies, the rates for the same shall be mutually decided as per the existing market rates after considering applicable discounts. |

LAST DATE FOR SUBMISSION OF RFQ -05.08.2022 dated 14.00 HRS

OPENING OF RFQ - 05.08.2022 dated 15.00 HRS

Note : 1) All the other terms and conditions of the Notice Inviting Quotation shall remain unchanged.

2) The nomenclature changes shall also be applicable in the quotation format and the bidders shall quote the prices as per this corrigendum.



Chief Administrative Officer
National Institute of Design Assam
Jorhat - Assam